ELSEVIER

Carbohydrate Research 276 (1995) C15–C17

CARBOHYDRATE RESEARCH

Contents

Regular papers

Travelling on the potential energy surfaces of carbohydrates: comparative application of an exhaustive systematic conformational search with an heuristic search
S.B. Engelsen (Nantes, France), J. Koca (Brno, Czech Republic), I. Braccini, C. Hervé du Penhoat (Paris, France) and S. Pérez (Nantes, France) 1

A bi-fluorescence-labeled substrate for ceramide glycanase based on fluorescence energy transfer
K. Matsuoka, S.-I. Nishimura (Hokkaido, Japan) and Y.C. Lee (Baltimore, MD, USA) 31

Spacer-modified oligosaccharides with basic anchoring groups are inhibitors for endo-glycanases: porcine pancreatic alpha-amylase as model enzyme
J. Lehmann and M. Schmidt-Schuchardt (Freiburg, Germany) 43

Mono-, di- and tri-antennary D-galactose ligands as competitive inhibitors and photoaffinity labels of the hexose transporting system in erythrocytes. A model for the irreversible blocking of receptors in cell membranes
J. Lehmann and M. Scheuring (Freiburg, Germany) 57

Synthesis of 5-deoxy-5-epifluoro derivatives of arbekacin, amikacin, and 1-*N*-[(*S*)-4-amino-2-hydroxybutanoyl]tobramycin (study on structure — toxicity relationships)
T. Shitara (Kawasaki, Japan), E. Umemura (Odawara, Japan), T. Tsuchiya (Kawasaki, Japan) and T. Matsuno (Odawara, Japan) 75

Methyl 3-amino-3-deoxy-β-D-galactopyranosyl-(1 → 4)-2-acetamido-2-deoxy-β-D-glucopyranoside: an inhibitor of UDP-D-galactose:β-D-galactopyranosyl-(1 → 4)-2-acetamido-2-deoxy-D-glucose (1 → 3)-α-D-galactopyranosyltransferase
A.-C. Helland, O. Hindsgaul, M.M. Palcic (Edmonton, Canada), C.L.M. Stults and B.A. Macher (San Francisco, CA, USA) 91

Versatile intermediates in the selective modification of the amino function of 2-amino-2-deoxy-D-mannopyranose and the 3-position of 2-acetamido-2-deoxy-D-mannose: potential membrane modifiers in neoplastic control
N.J. Angelino, R.J. Bernacki, M. Sharma, O. Dodson-Simmons and W. Korytnyk (Buffalo, NY, USA) 99

Determination of the structure of the exopolysaccharide produced by *Lactobacillus sake* 0-1
G.W. Robijn (Utrecht, The Netherlands), D.J.C. van den Berg, H. Haas (Vlaardingen, The Netherlands), J.P. Kamerling and J.F.G. Vliegenthart (Utrecht, The Netherlands) 117

The structure of the exopolysaccharide produced by *Lactobacillus helveticus* 766
G.W. Robijn, J.R. Thomas (Utrecht, The Netherlands), H. Haas, D.J.C. van den Berg (Vlaardingen, The Netherlands), J.P. Kamerling and J.F.G. Vliegenthart (Utrecht, The Netherlands) 137

Carrageenans from the tetrasporic stages of *Gigartina clavifera* and *Gigartina alveata* (Gigartinaceae, Rhodophyta)
R. Falshaw and R.H. Furneaux (Lower Hutt, New Zealand) 155

Structural analysis of cyclamen seed xyloglucan oligosaccharides using cellulase digestion and spectroscopic methods
I. Braccini, C. Hervé du Penhoat, V. Michon, R. Goldberg, M. Clochard (Paris, France), M.C. Jarvis (Glasgow, UK), Z.-H. Huang and D.A. Gage (East Lansing, MI, USA) 167

Isolation and characterization of heparan sulfate from crude porcine intestinal mucosal peptidoglycan heparin
C.C. Griffin (Oxford, OH, USA), R.J. Linhardt (Iowa City, IA, USA), C.L. Van Gorp (Cincinnati, OH, USA), T. Toida, R.E. Hileman (Iowa City, IA, USA), R.L. Schubert II (Cincinnati, OH, USA) and S.E. Brown (Oxford, OH, USA) 183

Enzymic glycosylation of (±)-(3,5/4,6)-3,6-diazido-4,5-dihydroxycyclohexene. A way to prepare stereochemically pure and enzyme resistant, basic pseudo-disaccharides as competitive enzyme inhibitors
J. Lehmann and B. Rob (Freiburg, Germany) 199

Notes

Synthesis of 4-methylcoumarin-7-yl β-D-galactofuranoside, a fluorogenic substrate for galactofuranosidase
C. Marino, M.J. Cancio, O. Varela and R.M. de Lederkremer (Buenos Aires, Argentina) 209

Support of a cyclic versus acyclic intermediate in enzymatic glycoside cleavage: 1,3-(*R*)-*O*-benzylidene-D-threitol is a competitive inhibitor but not a substrate of β-D-galactosidase
J. Lehmann and H.-A. Wagenknecht (Freiburg, Germany) 215

Book reviews C1

Information for authors C5

Regular papers

Relative stability of alternative chair forms and hydroxymethyl conformations of β-D-glucopyranose
S.E. Barrows, F.J. Dulles, C.J. Cramer (Minneapolis, MN, USA), A.D. French (New Orleans, LA, USA) and D.G. Truhlar (Minneapolis, MN, USA) 219

Investigation of the enolization and carbonyl group migration in reducing sugars by FTIR spectroscopy
V.A. Yaylayan and A.A. Ismail (Ste. Anne de Bellevue, Canada) 253

A self-included cyclomaltoheptaose derivative studied by NMR spectroscopy and molecular modelling
P. Berthault, D. Duchesne, H. Desvaux and B. Gilquin (Gif-sur-Yvette, France) 267

Synthesis of fluorescent and radioactive analogues of two lactosylceramides and glucosylceramide containing β-thioglycosidic bonds that are resistant to enzymatic degradation
B. Albrecht, U. Pütz and G. Schwarzmann (Bonn, Germany) 289

The formation of 2-furaldehyde and formic acid from pentoses in slightly acidic deuterium oxide studied by ^{1}H NMR spectroscopy
T. Ahmad, L. Kenne, K. Olsson and O. Theander (Uppsala, Sweden) 309

Synthesis of uridine-5-propylamine derivatives and their use in affinity chromatography of *N*-acetylglucosaminyltransferases I and II
F. Reck (Toronto, Canada) 321

Synthesis of methyl 4-acetamido-*N*-acetyl-4-deoxy-α- and β-4-*epi*-neuraminic acids
B.P. Bandgar, S.V. Patil (Maharashtra, India) and E. Zbiral (Vienna, Austria) 337

Synthesis and ^{1}H NMR characterization of the six isomeric mono-*O*-sulfates of 8-methoxycarbonyloct-1-yl *O*-β-D-galactopyranosyl-(1 → 4)-2-acetamido-2-deoxy-β-D-glucopyranoside
R.A. Field, A. Otter, W. Fu and O. Hindsgaul (Edmonton, Canada) 347

Structure of the *O*-deacetylated glucuronoxylomannan from *Cryptococcus neoformans* serotype C as determined by 2D ^{1}H NMR spectroscopy
B.E. Bacon and R. Cherniak (Atlanta, GA, USA). 365

Solid-state NMR studies on the structure of starch granules
K.R. Morgan, R.H. Furneaux (Lower Hutt, New Zealand) and N.G. Larsen (Christchurch, New Zealand) 387

Inhibition of human leukocyte elastase by chemically and naturally oversulfated galactosaminoglycans
C. Bartolucci, L. Cellai, M.A. Iannelli, D. Lamba (Rome, Italy), L. Liverani, G. Mascellani (Modena, Italy) and E. Perola (Rome, Italy) 401

Notes

Molecular and crystal structure of methyl 2,3,4-tri-*O*-acetyl-β-D-xylopyranosyl-(1 → 2)-3-*O*-benzyl-4,6-*O*-benzylidene-α-D-mannopyranoside
O. Kanie (Saitama, Japan), T. Takeda (Tokyo, Japan) and K. Hatano (Nagoya, Japan) 409

Intermolecular aglycon transfer of ethyl 1-thiorhamnopyranosides under Koenigs–Knorr and Helferich glycosylation conditions
D.A. Leigh, J.P. Smart and A.M. Truscello (Manchester, UK) 417

Synthesis of curdlan sulfates having inhibitory effects in vitro against AIDS viruses HIV-1 and HIV-2
T. Yoshida, Y. Yasuda (Sapporo, Japan), T. Mimura, Y. Kaneko, H. Nakashima, N. Yamamoto and T. Uryu (Tokyo, Japan) 425

The β-D-Gal*p*NAc-(1 → 3)-D-Gal*p* linkage through the oxazoline glycosylation method
D. Colombo, L. Panza and F. Ronchetti (Milan, Italy) 437

Conformational change of the β-D-glucan of *Auricularia auricula-judae* in water–dimethyl sulfoxide mixtures
L. Zhang, L. Yang and J. Chen (Wuhan, P.R. China). 443

Structural definition of the glycopeptidolipids and the pyruvylated, glycosylated acyltrehalose from *Mycobacterium butyricum*
K.-H. Khoo (London, UK), R. Suzuki (Fort Collins, CO, USA), H.R. Morris, A. Dell (London, UK), P.J. Brennan and G.S. Besra (Fort Collins, CO, USA) 449

Author index C7

Subject index C9

Contents C15